



Professionally installed equipment.



APPLICATIONS	BRAND	COMPATIBLE RANGES
		S&SO RS100 io
		S&SO RS100 io Hybrid
		OXIMO io / OXIMO S io
		S&SO RS100 io picture window block upgrade kit
		S&SO RS100 io picture window casement door block upgrade kit
	somfy.	S&SO RS100 io traditional window upgrade kit
MOTORS FOR ROLLER SHUTTERS		Io traditional window upgrade kit
MOTORS FOR ROLLER SHOTTERS		VR slim receiver
		Io tradi casement door upgrade kit
		ILMO 50 V2 io
		SOLUS Plug&Play 50 io
		Micro Receiver for IZYMO io roller shutter
	🙋 zigbee 3.0	Profalux Zigbee 3.0 roller shutter
MOTORS FOR PROJECTION ROLLER SHUTTERS	s ⊙ m f y.	TWIPSO io
MOTORS FOR ROLLER SHUTTERS (ROOF WINDOWS)	VELUX•	SSL-SML io
	somfy,	YSLO made to measure io
MOTORS FOR HINGED SHUTTERS	Som y _n	YSLO Flex io
		GGL/GGU Solaire
	*********	GGL/GGU Integra io
MOTORS FOR	VELUX•	CVP
ROOF WINDOWS		GGL SCOX5
MOTORS FOR SLIDING WINDOWS AND PICTURE WINDOWS	s o m f y.	Sliding air io
		J4 io
		J4 io Protect
MOTORS FOR EXTERNAL		Io radio receiver for Venetian blinds (with Hirschmann plug)
VENETIAN BLINDS		Io radio receiver for Venetian blinds (with cable)
		SUNEA Screen io
	somfy,	SUNILUS Screen io
MOTORS FOR INTERIOR & EXTERIOR SCREENS		PERGOLA Screen io
	💋 zigbee 3.0	Profalux Zigbee 3.0 external blind
	VELUX	MML





-io-

Professionally installed equipment.

APPLICATIONS	BRAND	COMPATIBLE RANGES
MOTORS FOR PLEATED BLINDS	VELUX	FMG
		GGL/GGU Solaire
	VELUX	GGL/GGU Integra io
MOTORS FOR SCREENS	VELOA	CVP
SCREENS		GGL SCOX5
MOTORS FOR VENETIAN BLINDS	VELUX-	PML
MOTORS FOR INDOOR ROLLER BLINDS	s ⊙ m f y.	SONESSE 40 io
		DEXXO Pro io
	somfy,	DEXXO SMART io
MOTORS FOR		ROLLIXO io
GARAGE DOORS*	BFL	b-eba io
	s o m f y.	ELIXO 500 3S io
		ELIXO SMART io
MOTORS FOR GATES		CBx 3S io (Axovia, Ixengo, Invisio, Ixengo L)
GATES	BFL	b-eba io
RECEIVER FOR ACCESS DRIVES	s o mfy,	io Compatible Access Receiver
ALARM SYSTEM	s o m f y,	PROTEXIAL io HOME KEEPER
INTERFACES FOR ENTRANCE DOORS	KFV In Unevalues of SEDEMA CRUPTE	io KFV lock interface
	GU Mariana (3) (3) (3)	io GU lock interface





-io-

Professionally installed equipment.

APPLICATIONS	BRAND	COMPATIBLE RANGES
	atlantic	Pilot wired interface
\$\$\$		io Heating interface
° [] [] []		io Thermostatic valve
HEATING MANAGEMENT	somfy.	io Wired thermostat
		io Radio thermostat
		Outdoor lighting receiver io ON/OFF
		Outdoor variation lighting receiver io
		Outdoor variation light receiver White Led
	somfy.	Variation light receiver White Led
		Variation light receiver Coloured Led
·(_)´-		IZYMO ON/OFF lighting micro receiver io
LIGHTING MANAGEMENT		IZYMO variation lighting micro receiver io
	Schneider Electric	ZigBee 3.0 connected switch
	VELUX	KRA 100 halogen spotlight io (Velux)
	Li legrand	ZigBee 3.0 connected switch
<i>,</i> ,,,,	VELUX	ON/OFF plug
REMOTE CONTROL PLUG		Remote-controlled io ON/OFF plug
		PERGOLA io
	c O m fu	PERGOLA Screen io
MOTOR FOR	s omf y,	Pergola IO control unit
PERGOLA AWNINGS		PERGOLA bioclimatic
		MAESTRIA+ io
		SUNEA io
MOTOR FOR VERTICAL CANVAS	somfy.	SUNILUS io
BLINDS		Slim receiver for blinds
		SUNEA SCR40 IO
<i>†</i>	comfy.	Joule effect consumption sensor
MONITORING OF ELECTRICAL CONSUMPTION	s o m f y.	PAC consumption sensor





Professionally installed equipment.



APPLICATIONS	BRAND	COMPATIBLE RANGES
		OXIMO wirefree RTS
		OXIMO RTS
		ALTUS 50 RTS
		LT 50 RTS
		LT 50 CSI RTS
		RTS picture window block upgrade kit
	c Amfru	RTS picture window casement door block upgrade kit
MOTORS AND RECEIVERS FOR	somfy.	RTS traditional window upgrade kit
ROLLER SHUTTERS		RTS traditional casement door upgrade kit
		CENTRALIS Uno RTS
		CENTRALIS indoor RTS
		Micro receiver for roller shutter
		Dry contact receiver RTS
		RTS control panel receiver
		YSLO made to measure RTS
	somfy,	YSLO Flex RT
MOTORS FOR HINGED SHUTTERS		YSLO Easy made to measure RTS
MOTORS FOR SLIDING SHUTTERS	s o m f y.	ORATO RTS Motorised Rails
	somfy.	RTS 25 DC
		CORD LIFT wirefree RTS
MOTORS FOR		ALTUS 40 RTS
INDOOR VENETIAN BLINDS		Integrated and remote 24V receiver for variation
		ROLL UP wirefree RTS
		SONESSE 30 RTS, SONESSE 40 RTS, SONESSE 50 RTS, SONESSE 30 MODULIS RTS
MOTORS FOR INDOOR ROLLER BLINDS		ALTEA RTS
		RTS DC receiver
		J4 + RTS receiver
MOTORS FOR	somfy,	CENTRALIS Uno VB RTS*
MOTORS FOR EXTERNAL VENETIAN BLINDS		Receiver for slim variation RTS
	s o mfy.	Glystro 25 RTS
		Glystro 50 RTS
MOTORS FOR		Glydea 35 RTS
CURTAINS		Glydea 60 RTS

^{*} ON/OFF or up/down command only. Not compatible with variation.





RIS

Radio Technology Somfy®

Professionally installed equipment.

APPLICATIONS	BRAND	COMPATIBLE RANGES
		Elixo 500 RTS
		Axovia (180B, 220B)
MOTORS FOR	s ⊙ m f y.	CBx 3S RTS
GATES*		FX 24 et FX 230
		RTS Standard receiver**
	s o m f y,	DEXXO (PRO, OPTIMO, COMPACT) RTS
MOTORS FOR GARAGE DOORS*	Som y _s	ROLLIXO RTS
	s ⊙ m f y.	OREA RTS
		SUNEA 50 CSI RTS
\Box		LT50 CSI RTS
MOTORS FOR		ALTUS RTS
PATIO AWNINGS		LOGGIA 50 RTS
		RTS Universal receiver
		RTS Universal slim receiver
·\\(\dagger\)	s o mfy,	RTS indoor lighting receiver
		RTS outdoor lighting receiver
'∰` LIGHTING MANAGEMENT		Slim RTS lighting receiver
		1 and 3 metre lighting strips



^{*} In accordance with the standard, we advise you to install a set of cells.

^{**} Manual control function only.



Equipment bought in supermarkets.



APPLICATIONS	BRAND	COMPATIBLE RANGES
	s o mfy.	RMS 1000 and RMS 2000
		ROLLERDRIVE
		DIRIGO
MOTORS FOR ROLLER SHUTTERS		CENTRALIS Uno RTS
		Micro receiver for roller shutters
MOTORS FOR HINGED SHUTTERS	s o m f y,	SYNAPSIA RTS / SYNAPSIA 1000 (io)
		Remote-controlled indoor ON/OFF plug
		Garden power ON/OFF plug
` <u>`</u>		Outdoor remote-control plug
	somfy.	Remote control ON/OFF plug
LIGHTING MANAGEMENT AND ELECTRICAL DEVICES		Indoor lighting receiver
		Outdoor lighting receiver
		Micro lighting receiver
		GDK 3000 (manufactured from November 2008)
		GDK 700
	s o m f y,	GDK 4000 (manufactured from November 2008)
		GDK 1100
MOTORS FOR GARAGE DOORS*		LS 5000 (manufactured from November 2008)
G/W/GZ BOOKS		LS 9000 (manufactured from November 2008)
		LS 15
		MGD 5
		SGA (WITH ELECTRONIC BUS)
		EVOLVIA 400
		EVOLVIA 450
		PASSEO 800
		SGS 400
MOTORS FOR HINGED GATES*		SGS 501 (manufactured from July 2009)
For registration on TAHOMA®	somfy.	SGS 601 (manufactured from July 2009)
switch, a relay remote control is required (ref. 1841194) or the remote control of TAHOMA® Serenity (ref.2410370) for		LS 360 (manufactured from July 2009)
		EXAVIA 500
electronics before June 2021.		WISPA 800
		GO SC 500
		GO AR 400
		LOCKYVIA

- * In accordance with the standard, we advise you to install a set of cells.
- ** Manual control function only.








Equipment bought in supermarkets.

APPLICATIONS	BRAND	COMPATIBLE RANGES
		FREEVIA 280
		FREEVIA 290
		FREEVIA 300
		FREEVIA 390
		FREEVIA 400
MOTORS FOR SLIDING GATES*		FREEVIA 600
For registration on TAHOMA®	s o m f y.	LS 420
switch, a relay remote control is required (ref. 1841194) or the		LS 430
remote control of TAHOMA® Serenity (ref.2410370) for		LS 440
electronics before June 2021.		LS 650
		SLIDYMOOVE 300
		SLIDYMOOVE 600
		GO SLG 7
ACCESS RECEIVER	s ⊙ m f y,	Gate/garage door receiver**.



^{**} Manual control function only.





Peripheral devices compatible with TaHoma® switch/TaHoma® Rail-DIN S

APPLICATIONS	BRAND	COMPATIBLE RANGES
		Wired connected thermostat
	s o m f y.	Radio connected thermostat
CONNECTED THERMOSTAT	Somry.	Wired connected thermostat V2
		Radio connected thermostat V2
41.	come.	Connected lock*
CONNECTED LOCK	s o m f y,	Door Keeper
		Somfy Security Camera
		Somfy Indoor Camera
		Somfy Outdoor Camera
	s ⊙ m f y.	Somfy ONE
SOMFY		Somfy ONE +
		Somfy Home Alarm
		Smoke detector io
6	s o m f y.	Movement detector io
IO MODULES	Som y	Opening and impact detector io
		Smoke detector: Schneider Electric Wiser Smoke sensor
		(CCT599001, CCT599002, EKO09761, 550B1027)
(6	⊘ zigbee 3.0	Movement detector io: Schneider Electric motion sensor (CCT595011_AS)
ZIGBEE MODULES		Opening detector: Schneider Electric Wiser
		Window/Door sensor (CCT591011_AS)
<u> </u>	somfy,	THERMIS Wirefree IO
TEMPERATURE SENSOR	Som y	
Λ: Δ		
	2 zigbee 3.0	Schneider Electric: temperature and humidity sensor (CCT593011_AS)
TEMPERATURE AND HUMIDITY SENSOR	2 Lighter 5.0	Danfoss: Ally room sensor
HUMIDITT SENSOR		
- <u>`</u> Ó-	s o m f y,	Sunis Wirefree io
SUNLIGHT SENSOR		Suitis Wilefree 10
\cap		
CHILD	somfy.	Ondeis (via Eolis io)
RAIN SENSOR		
	💋 zigbee 3.0	Schneider Electric Wiser water leakage (CCT592011_AS)
WATER LEAKAGE	ū	
	somfy.	IntelliTAG air io
_	IIIINK	Clim opposing detector
(-	HAUS	Slim opening detector
WINDOW SENSORS	мáсь	mTronic window sensor (requires USB adapter and EnOcean key for
		TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
		ן אונע־ווא אוויטווומש אוויטוווא אוויטוווא אוויטוווא אוויטי

- * Only works with the addition of the internet gateway (2401400).
- ** The camera rotation function is not integrated in TaHoma.





Peripheral devices compatible with TaHoma® switch/TaHoma® Rail-DIN S

APPLICATIONS	BRAND	COMPATIBLE RANGES
	somfy.	RJ45 adapter for internet connection
ACCESSORIES	Somi y.	USB adapter for EnOcean dongle
	s ⊙ m f y₃	Scenario launcher (SMOOVE)
		WALL SWITCH io
		IZYMO io micro-transmitter
TAHOMA SCENARIO LAUNCHER		KEYGO io
		V500 PRO io
		io premium keypad
		Wired programmable thermostat with dry contact*.
\$\$\$ •nnnn	somfy.	Dry contact radio thermostat + receiver
UUUUU HEATING MANAGEMENT		Radio pilot wire programmer + receiver*
		Wireless thermostat + receiver

^{*} Cannot be integrated in TaHoma automations (day of the calendar function).





Philips Hue products compatible with TaHoma® switch/TaHoma®



APPLICATIONS	BRAND	COMPATIBLE RANGES
PHILIPS HUE LIGHTING	PHILIPS	Philips Hue range (with V2 bridge)
	PHILIPS	V1 bridge (round shape)
PHILIPS HUE BRIDGE		V2 bridge (square shape)



^{**} Manual control function only.



Atlantic products compatible with TaHoma® switch/TaHoma® Rail-DIN S otlontic



APPLICATIONS	BRAND	COMPATIBLE RANGES
		529807 CALISSIA H 0750W
		529810 CALISSIA H 1000W
		529812 CALISSIA H 1250W
		529815 CALISSIA H 1500W
		529820 CALISSIA H 2000W
		529910 CALISSIA V 1000W
		529915 CALISSIA V 1500W
		529920 CALISSIA V 2000W
		500907 MARADJA DIG CONNECTED LOW 0750W
		500910 MARADJA DIG CONNECTED LOW 1000W
		500915 MARADJA DIG CONNECTED LOW 1500W
		507607 MARADJA SMART PILOT CONNECTED H 0750W
		507610 MARADJA SMART PILOT CONNECTED H 1000W
		507612 MARADJA SMART PILOT CONNECTED H 1250W
		507615 MARADJA SMART PILOT CONNECTED H 1500W
		507620 MARADJA SMART PILOT CONNECTED H 2000W
SSS		507710 MARADJA SMART PILOT CONNECTED V 1000W
°0000	atlantic	507715 MARADJA SMART PILOT CONNECTED V 1500W
ATLANTIC RADIATORS* Adjust comfort/eco settings on the		507720 MARADJA SMART PILOT CONNECTED V 2000W
configuration page		566205 TATOU SMART PILOT H 0500W
		566207 TATOU SMART PILOT H 0750W
		566210 TATOU SMART PILOT H 1000W
		566212 TATOU SMART PILOT H 1250W
		566215 TATOU SMART PILOT H 1500W
		566220 TATOU SMART PILOT H 2000W
		666410 TATOU SMART PILOT V 1000W
		666415 TATOU SMART PILOT V 1500W
		666420 TATOU SMART PILOT V 2000W
		500607 GALAPAGOS SMART PILOT CONNECTED H 0750W
		500610 GALAPAGOS SMART PILOT CONNECTED H 1000W
		500612 GALAPAGOS SMART PILOT CONNECTED H 1250W
		500615 GALAPAGOS SMART PILOT CONNECTED H 1500W
		500620 GALAPAGOS SMART PILOT CONNECTED H 2000W
		501310 GALAPAGOS SMART PILOT CONNECTED V 1000W
		501315 GALAPAGOS SMART PILOT CONNECTED V 1500W
		501320 GALAPAGOS SMART PILOT CONNECTED V 1800W

Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)





Atlantic products compatible with TaHoma® switch/TaHoma® Rail-DIN S atlantic



APPLICATIONS	BRAND	COMPATIBLE RANGES
		502907 GALAPAGOS DIGITAL CONNECTED LOW 0700W
		502910 GALAPAGOS DIGITAL CONNECTED LOW 1000W
		502915 GALAPAGOS DIGITAL CONNECTED LOW 1400W
		503907 ONIRIS H 0750W
		503910 ONIRIS H 1000W
		503912 ONIRIS H 1250W
		503915 ONIRIS H 1500W
		503920 ONIRIS H 2000W
	atlantic	518810 ONIRIS V 1000W
		518815 ONIRIS V 1500W
		518820 ONIRIS V 2000W
		602107 ONIRIS P 0750W
\$ \$\$		602110 ONIRIS P 1000W
\$\$\$ ° 00000		602115 ONIRIS P 1500W
ATLANTIC RADIATORS* Adjust comfort/eco		603210 IRISIUM V 1000W
settings on the configuration page		603215 IRISIUM V 1500W
		603110 IRISIUM H 1000W
		603115 IRISIUM H 1500W
		604213 SERENITY V 1000W
		604214 SERENITY V 1500W
		604211 SERENITY H 1000W
		604212 SERENITY H 1500W
		604114 ORIGAMY V1500 W
		604111 ORIGAMY H 1000 W
		604210 MOZAIC V 1000W
		604215 MOZAIC V 1500W
		604110 MOZAIC H 1000W
		604115 MOZAIC H 1500W







Atlantic products compatible with TaHoma® switch/TaHoma® Rail-DIN S otlontic



APPLICATIONS	
PAC Navilink A59 required	
BOILERS Navipass io and Navilink A59 are required	
CONSUMPTION SENSOR	
DUCTABLE	

BRAND	COMPATIBLE RANGES
	Alfea Extensa AI
ما میام	Alfea Extensa Duo AI
atlantic	Alfea Excellia AI
	Alfea Excellia Duo AI
	Naia 12
atlantic	Naia Micro
G dudi luc	Naia Duo
	Naema
atlantic	Joule effect consumption sensor
	PAC consumption sensor
atlantic	Zone Control 2.0







Thermor products compatible with TaHoma® switch/TaHoma® Rail-DIN S



APPLICATIONS	BRAND	COMPATIBLE RANGES
		482221 EQUATEUR 3 H 0750W
		482231 EQUATEUR 3 H 1000W
		482241 EQUATEUR 3 H 1250W
		482251 EQUATEUR 3 H 1500W
		482271 EQUATEUR 3 H 2000W
		427231 EQUATEUR 3 V 1000W
		427251 EQUATEUR 3 V 1500W
		427271 EQUATEUR 3 V 2000W
		452121 EQUATEUR 3 LOW 0750W
		452131 EQUATEUR 3 LOW 1000W
		452151 EQUATEUR 3 LOW 1500W
		414521 KENYA 3 H 0750W
		414531 KENYA 3 H 1000W
\$\$\$ •nnnn	Thermor **	414541 KENYA 3 H 1250W
THERMOR RADIATORS		414551 KENYA 3 H 1500W
		414571 KENYA 3 H 2000W
		414631 KENYA 3 V 1000W
		414651 KENYA 3 V 1500W
		414671 KENYA 3 V 2000W
		445211 EMOTION 3 H 0500W
		445221 EMOTION 3 H 0750W
		445231 EMOTION 3 H 1000W
		445241 EMOTION 3 H 1250W
		445251 EMOTION 3 H 1500W
		445271 EMOTION 3 H 2000W
		423631 EMOTION 3 V 1000W
		423651 EMOTION 3 V 1500W
		423671 EMOTION 3 V 2000W





Thermor products compatible with TaHoma® switch/TaHoma® Rail-DIN S



APPLICATIONS	BRAND	COMPATIBLE RANGES
		493821 BILBAO 3 H 0750W
		493831 BILBAO 3 H 1000W
		493841 BILBAO 3 H 1250W
		493851 BILBAO 3 H 1500W
		493871 BILBAO 3 H 2000W
		494831 BILBAO 3 V 1000W
		494851 BILBAO 3 V 1500W
		494871 BILBAO 3 V 1800W
		494821 BILBAO 3 B 0700W
		494831 BILBAO 3 B 1000W
\$\$\$\$ * 00000	Thermor **	494851 BILBAO 3 B 1400W
UUUUU THERMOR RADIATORS		480221 OVATION 3 H 0750W
		480231 OVATION 3 H 1000W
		480241 OVATION 3 H 1250W
		480251 OVATION 3 H 1500W
		480271 OVATION 3 H 2000W
		430231 OVATION 3 V 1000W
		430251 OVATION 3 V 1500W
		430271 OVATION 3 V 2000W
		450321 OVATION 3 P 0750W
		450331 OVATION 3 P 1000W
		450351 OVATION 3 P 1500W





Sauter products compatible with TaHoma® switch/TaHoma® Rail-DIN S

Compatibility list: with update 1.14 of 6 December 2022

APPLICATION	APPLICATIONS			
SSS °00000 SAUTER RADIAT	TORS			

BRAND	COMPATIBLE RANGES
	526310 MALAO HZ 1000W
	526315 SAUTER MALAO HZ 1500W
	MALAO 2000W
<i>Sauter</i>	500110 BOLERO AUTO H 1000W
	500110 BOLERO AUTO H 1500W
	500110 BOLERO AUTO H 2000W
	500710 GYALI H 1000W
	500710 GYALI H 1500W
	500710 GYALI H 2000W



© SOMIT - 12/2022 - SOMIT ACTIVITES SA, WILL CAPICAL OF SO, OUG. OU US, ITAGE AIR COMPANIES REGISTLY



Hitachi products compatible with TaHoma® switch/TaHoma® Rail-DIN S

Compatibility list: with update 1.14 of 6 December 2022

APPLICATIONS	BRAND	COMPATIBLE RANGES
AIR-TO-AIR HEAT PUMP*		
		SHIROKUMA S
WALL-MOUNTED		SHIROKUMA
WALL-MOUNTED	HITACHI	PERFORMANCE
		SUMMIT
CONCOLEC	LITACLII	SHIROKUMA
CONSOLES	HITACHI	PERFORMANCE
		MONOZONE (infrared)
DUCTABLE	HITACHI	MONOZONE (wired)
DUCTABLE	ппасп	LOW PRESSURE MONOZONE (infrared)
		LOW PRESSURE MONOZONE (wired)
CASSETTES	HITACHI	MONOZONE
MULTI	HITACHI	OUTDOOR UNITS
MOLII	HIIACHI	INDOOR UNITS

^{*} Cannot be integrated into TaHoma automation systems (Scenario, Smart, Agenda)

All indoor units since 2013 (A series: RPA, PPA, QXA, PXA, FPA, QPA and following series B, C, D, E and F) until airHome units launched in 2022 (PHAE series)

Indoor units before 2013: NH5A, NH6A, NH7A, DH7A and QH8 series are also compatible. Examples of indoor unit references: RAK-25NH6A, RAD-50PPA, RAK-35REF, RAK-DJ50PHAE, etc.

For all these units, accessory required: SPX-TAG01 gateway sold by HITACHI.



Daikin products compatible with TaHoma® switch/TaHoma® Rail-DIN S




Compatibility list: with update 1.14 of 6 December 2022

APPLICATIONS	BRAND	COMPATIBLE RANGES	
AIR/WATER HEAT PUMPS (1)			
	and the second s	DAIKIN ALTHERMA 3 H HT	
		DAIKIN ALTHERMA 3 H MT	
AIR/WATER HEAT PUMPS	DAIKIN	DAIKIN ALTHERMA 3 R	
		DAIKIN ALTHERMA 3 H	
		DAIKIN ALTHERMA R	
	-	DAIKIN ALTHERMA 3 M	
MONOBLOC HEAT PUMPS	DAIKIN	DAIKIN ALTHERMA M	
	DAIKIN	DAIKIN ALTHERMA R HYBRID	
HYBRID HEAT PUMPS		DAIKIN ALTHERMA H HYBRID	
	V DAIKIN	DAIKIN ALTHERMA 3 WS	
WATER/WATER HEAT PUMPS		DAIKIN ALTHERMA 3 GEO	
		DAIKIN ALTHERMA GEO	
BOILERS	DAIKIN	DAIKIN ALTHERMA 3 C GAS W	

(1)Daikin LAN accessory RP069A61/A62) or WLAN adapter (BRP069A71 / BRP069A78) and DRGATEWAYAA card are required for compatibility with TaHoma

	AIR/AIR HEAT PUI	MPS (2)
		WALL MOUNTED URURU SARARA FTXZ-N
		WALL-MOUNTED DAIKIN EMURA 3 FTXJ-A
		WALL-MOUNTED STYLISH CTXA-A/B AND FTXA-A/B
		WALL-MOUNTED STYLISH OPTIMISED HEATING FTXTA-B
		WALL-MOUNTED PERFERA CTXM-R AND FTXM-R
		WALL-MOUNTED PERFERA OPTIMISED HEATING FTXTM-R
		WALL-MOUNTED COMFORA FTXP-M(9) AND FTXP-N
		WALL-MOUNTED SENSIRA FTXF-D
		CONSOLE PERFERA CVXM-A AND FVXM-A
AIR/AIR HEAT PUMPS (REVERSIBLE	PDAIKIN	CONSOLE PERFERA OPTIMISED HEATING FVXM-A
AIR CONDITIONING)		CONSOLE DOUBLE FLOW FVXM-F
		CONSOLE WITHOUT BODY FNA-A(9)
		CONSOLE VERTICAL ENCLOSURE FVA-A
		DUCTABLE EXTRA FLAT FDXM-F(9)
		STANDARD DUCTABLE FBA-A(9)
		CASSETTE 600X600 FFA-A(9)
		CASSETTE 900x900 FCAG-B
		HIGH EFFICIENCY 900X900 CASSETTE FCAHG-H
		EXPOSED CASSETTE FUA-A
		EXPOSED CEILING LIGHT FHA-A(9)



NB: Product list is not exhaustive.





Sonos products compatible with TaHoma® switch/TaHoma® Rail-DIN S

Compatibility list: with update 1.14 of 6 December 2022

APPLICATIONS	BRAND	COMPATIBLE RANGES
		PLAY:1
		ONE
		BEAM
MUSIC / HOME CINEMA	sonos	PLAY:3
		PLAY:5
		PLAYBAR
		PLAYBASE
		SUB
		CONNECT
		CONNECT: AMP



© SOWITI - LZ/2022 - SOWITI ACTIVITES 34, WILL CAPITATION SS/300/300 Edit 05, Hade and Companies negistry



Voice assistants compatible with TaHoma® switch/TaHoma® Rail-DIN S



APPLICATIONS	APPLICATIONS	COMPATIBLE RANGES
Works with IFTTT	IFTTT	Compatible with IFTTT. Please download the IFTTT app to activate the TaHoma Applets. Or go to the IFTTT webpage. More information about the TaHoma app in the Configuration tab
APPLICATIONS	APPLICATIONS	COMPATIBLE RANGES
		S&SO RS100 io
		S&SO RS100 io Hybrid
MOTORS FOR		OXIMO io
ROLLER SHUTTERS	HOME*	ILMO S io
		MAESTRIA io
		SUNILUS screen io
MOTORS FOR SCREENS	HOME*	SUNEA screen io
		J4 io
MOTORS FOR EXTERNAL VENETIAN BLINDS	HOME*	EVB Slim receiver
		SUNILUS io
MOTORS FOR PATIO AWNINGS	HOME*	SUNEA io
		PERGOLA io
MOTORS FOR PERGOLAS	HOME*	PERGOLA Screen io
APPLICATIONS	APP	COMPATIBLE RANGES
Google Home	GOOGLE ASSISTANT	Compatible with Google Assistant. Please download the Google Home app to establish the link between Google Assistant and TaHoma. More information about the TaHoma app in the Configuration tab
APPLICATIONS	APP	COMPATIBLE RANGES
fonctionne alexa	AMAZON ALEXA	Compatible with Amazon Alexa. Please download the Amazon Alexa app to activate the TaHoma Applets. More information about the TaHoma app in the Configuration tab.

^{*}compatible in 2022 for TaHoma® Rail-DIN S







Partner product offers compatible with TaHoma® switch/TaHoma® Rail-DIN S

APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
`&' II	i	Control plug
-_\-	La legrand®	Connected plug
Lighting / Plugs		Lighting micromodule
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
\$ \$\$	es lu	ICON (floor heating) (Zigbee 3.0)
°0000 heating	<u>Danfoss</u> DANFOSS HEATING	ALLY Thermostat valve (Zigbee 3.0)
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
		Motorised window
WINDOW / CASEMENT DOORS	Roto WINDOW SENSORS AND CASEMENT DOORS	Connected window (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
WINDOWS	SMOKE DETECTORS	Slim Opening detector io
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
WINDOWS	SIEGENIA' MOTORISED WINDOWS	Motorised sliding and tilt-&-turn windows: MHS400 Smart, MSA400 Smart, Drive Axxent smart
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
WINDOWS	SMOKE DETECTORS	mTronic window sensor (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
APPLICATIONS	BRAND/ OFFER	COMPATIBLE RANGES
WINDOWS	HOPPE'() La castle ton on man. WINDOW HANDLES	Safety Signal (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
APPLICATIONS	Brand/ Offer	COMPATIBLE RANGES
	LA CROISEES	eSarena (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)
WINDOWS	WINDOW HANDLES	D-sign (requires USB adapter and EnOcean key for TaHoma® switch, requires EnOcean Rail-DIN module for TaHoma® Rail-DIN S)



Somfy 1 place du Crêtet BP 138 - 74307 Cluses Cedex France www.somfy.fr

ABRANDOF SOMFY GROUP

